

( )

Distr.  
LIMITED

E/ESCWA/SDPD/2005/Booklet.2  
21 December 2005  
ORIGINAL: ARABIC

( )

---

\_\_\_\_\_

05-0695

( )

(CSD)

( )

( ) ( ) ( ):

( )

( )

( )

۲

:

( )

. / /

/ /

% ,


% ( )

% ,


-

|  |       |  |
|--|-------|--|
|  | ( / ) |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة التقليدية




\*(


)/(

كثافة استخدام المياه=)


نسبة المياه السطحية والجوفية من إجمالي موارد المياه العذبة



نسبة المياه المحلاة ومياه الصرف الصحي المعالجة ومياه الصرف الزراعي من إجمالي موارد المياه العذبة




استخدام المياه في دول الإسكوا حسب القطاع




-

|   |       |     |
|---|-------|-----|
|   | ( / ) |     |
|   | ( / ) |     |
|   | ( / ) |     |
| : | (%)   |     |
|   | (%)   |     |
|   | ( )   | ( ) |
|   |       | (%) |
|   |       | (%) |
|   |       | (%) |
|   | ( / ) |     |
|   | ( / ) |     |
|   | ( / ) |     |
| : | ( / ) |     |
|   | (%)   |     |
|   | (%)   |     |
|   | (%)   |     |
|   | ( / ) |     |
|   | ( / ) |     |
|   | ( / ) |     |
|   |       | (%) |
|   | ( / ) |     |
|   |       | (%) |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة التقليدية



—

:

.FAOSTAT

.E/ESCWA/SCU/2004/5

.E/ESCWA/SCU/2004/1

World Population Prospects: the 2004 Revision Population Database .  
<http://esa.un.org/unpp/>


.E/ESCWA/SDPD/2005/10




-

|  |       |       |
|--|-------|-------|
|  | ( / ) |       |
|  | ( / ) |       |
|  | ( / ) |       |
|  | (%)   |       |
|  | (%)   |       |
|  | (%)   |       |
|  |       | (%)   |
|  |       | (%)   |
|  |       | ( / ) |
|  |       | ( / ) |
|  | ( / ) |       |
|  | (%)   |       |
|  | (%)   |       |
|  | (%)   |       |
|  | ( / ) |       |
|  |       | (%)   |
|  | ( / ) |       |
|  |       | (%)   |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



^

—

:

.FAOSTAT

World Population Prospects: the 2004 Revision Population Database .  
<http://esa.un.org/unpp/>

.E/ESCWA/SCU/2004/5

.E/ESCWA/SCU/2004/1


.E/ESCWA/SDPD/2005/10

^


-

|  |       |       |
|--|-------|-------|
|  | ( / ) |       |
|  | ( / ) |       |
|  | ( / ) |       |
|  | (%)   |       |
|  | (%)   |       |
|  | (%)   |       |
|  |       | (%)   |
|  |       | (%)   |
|  |       | ( / ) |
|  |       | ( / ) |
|  | ( / ) |       |
|  | (%)   |       |
|  | (%)   |       |
|  | (%)   |       |
|  | ( / ) |       |
|  |       | (%)   |
|  | ( / ) |       |
|  |       | (%)   |
|  |       | ( / ) |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



—

:

.FAOSTAT

World Population Prospects: the 2004 Revision Population Database  
<http://esa.un.org/unpp/>

.E/ESCWA/SCU/2004/5


.E/ESCWA/SCU/2004/1

.E/ESCWA/SDPD/2005/10


-

|  |       |  |
|--|-------|--|
|  | ( / ) |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | (%)   |  |

مؤشرات الاعتماد وسهولة الحصول على المياه



مؤشرات توفر موارد المياه العذبة



—

:

.FAOSTAT

World Population Prospects: the 2004 Revision Population Database .  
<http://esa.un.org/unpp/>

.E/ESCWA/SCU/2004/5

.E/ESCWA/SCU/2004/1

.E/ESCWA/SDPD/2005/10



-

:

.FAOSTAT

Sectoral Water Allocation Policies in Selected ESCWA Member Countries. An Evaluation of the Economic, Social and Drought-Related Impact. ESCWA. United Nations. 2003 (E/ESCWA/SDPD/2003/13)

Implications of Groundwater Rehabilitation on Water Resources Protection and Conservation: Artificial Recharge and Water Quality Improvement in the ESCWA Region. ESCWA. United Nations. 2001. (E/ESCWA/ENR/2001/12)

World Population Prospects: the 2004 Revision Population Database  
<http://esa.un.org/unpp/>

E/ESCWA/STAT/2001/6

.E/ESCWA/SCU/2004/1

.E/ESCWA/SDPD/2005/10




-

---


|   |       |       |         |
|---|-------|-------|---------|
|   |       | ( / ) |         |
| • | "     | ( / ) |         |
| • | "     | ( / ) |         |
| • |       | ( / ) |         |
| • |       | (%)   |         |
| • |       | (%)   |         |
| • |       | (%)   |         |
| • |       |       | (%)     |
| • |       |       | (%)     |
| • |       |       | ( / )   |
| • | )     |       | ( / )   |
|   |       | ( / ) |         |
| • |       | (%)   |         |
| • |       | (%)   |         |
| • |       | (%)   |         |
|   |       | ( / ) |         |
| • |       | ( )   |         |
| • | ( / ) |       | (%) ( ) |
| • |       |       | (%)     |
| • |       |       | )/(     |
|   |       |       | *(      |

---

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



—

:

.FAOSTAT

World Population Prospects: the

Revision Population Database  
(<http://esa.un.org/unpp/>)

.E/ESCWA/SCU/2004/1

/


.E/ESCWA/SCU/2004/5

.E/ESCWA/SDPD/2005/10


-

|  |       |  |
|--|-------|--|
|  | ( / ) |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



.FAOSTAT

World Population Prospects: the

Revision Population Database  
(<http://esa.un.org/unpp/>)

.E/ESCWA/SCU/2004/5


.E/ESCWA/SCU/2004/1

.E/ESCWA/SDPD/2005/10


-

|     |       |         |         |
|-----|-------|---------|---------|
|     |       | ( / )   |         |
|     | ( / ) |         |         |
|     | ( / ) |         |         |
|     | (%)   |         |         |
|     | (%)   |         |         |
|     | ( )   | ( )     | (%)     |
| ( ) | ( )   | (%) ( ) |         |
|     | ( )   |         | (%) ( ) |
|     |       | ( / )   |         |
|     | )     | ( /     |         |
|     |       | ( / )   |         |
|     |       | (%)     |         |
|     |       | (%)     |         |
|     |       | (%)     |         |
|     | ( / ) | ( )     |         |
|     | ( / ) | (%) ( ) |         |
|     | ( / ) | (%)     | )/(     |
|     |       |         | *(      |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



.FAOSTAT

Implications of Groundwater Rehabilitation on Water Resources Protection and Conservation: Artificial Recharge and Water Quality Improvement in the ESCWA Region. ESCWA. United Nations. 2001. (E/ESCWA/ENR/2001/12)

Sectoral Water Allocation Policies in Selected ESCWA Member Countries. An Evaluation of the Economic, Social and Drought-Related Impact. ESCWA. United Nations. 2003 (E/ESCWA/SDPD/2003/13)

Water Demand Management and Pollution Control: Keys to Securing and Safeguarding the Water Supplies of MENA in the ٢١st Century. Hamed Bakir. WHO Regional Centre for Environmental Health Activities, Amman, Jordan.

Renewable water resources data: FAO/AQUASTAT, 1997  
[http://www.fao.org/ag/agl/aglw/aquastat/water\\_res/index.stm](http://www.fao.org/ag/agl/aglw/aquastat/water_res/index.stm)

World Population Prospects: the 2004 Revision Population Database  
<http://esa.un.org/unpp/>

.E/ESCWA/SCU/2004/5


.E/ESCWA/SCU/2004/1

.E/ESCWA/SDPD/2005/10


-

|  |         |       |
|--|---------|-------|
|  | ( / )   |       |
|  | ( / )   |       |
|  | ( / )   |       |
|  | (%)     |       |
|  | (%)     |       |
|  | (%)     |       |
|  |         | (%)   |
|  |         | (%)   |
|  |         | ( / ) |
|  |         | ( / ) |
|  | ( / )   |       |
|  | (%)     |       |
|  | (%)     |       |
|  | (%)     |       |
|  | ( / )   |       |
|  | ( )     |       |
|  | (%) ( ) |       |
|  | ( / )   |       |
|  | (%)     |       |
|  | (%)     |       |
|  | (%)     |       |
|  | ( / )   |       |
|  | ( )     |       |
|  | (%) ( ) |       |
|  | ( / )   |       |
|  | (%)     |       |
|  | (%)     |       |
|  | ( / )   |       |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



.FAOSTAT

Implications of Groundwater Rehabilitation on Water Resources Protection and Conservation: Artificial Recharge and Water Quality Improvement in the ESCWA Region. ESCWA. United Nations. 2001. (E/ESCWA/ENR/2001/12)

Sectoral Water Allocation Policies in Selected ESCWA Member Countries. An Evaluation of the Economic, Social and Drought-Related Impact. ESCWA. United Nations. 2003 (E/ESCWA/SDPD/2003/13)

Water Demand Management and Pollution Control: Keys to Securing and Safeguarding the Water Supplies of MENA in the 21st Century. Hamed Bakir. WHO Regional Centre for Environmental Health Activities, Amman, Jordan

Renewable water resources data: FAO/AQUASTAT, 1997  
[http://www.fao.org/ag/agl/aglw/aquastat/water\\_res/index.stm](http://www.fao.org/ag/agl/aglw/aquastat/water_res/index.stm)

World Population Prospects: the 2004 Revision Population Database  
<http://esa.un.org/unpp/>

.E/ESCWA/SCU/2004/1

.E/ESCWA/SCU/2004/5


.E/ESCWA/SDPD/2005/10




-

|     |       |         |         |
|-----|-------|---------|---------|
|     | ( / ) |         |         |
| " " | ( / ) |         |         |
|     | ( / ) |         |         |
|     | (%)   |         |         |
|     | (%)   |         |         |
|     | ( )   | ( )     | (%)     |
|     | ( )   |         |         |
|     |       | (%) ( ) |         |
|     | ( )   |         | (%) ( ) |
|     |       | ( / )   |         |
|     | )     |         | ( /     |
|     | ( / ) |         |         |
|     | (%)   |         |         |
|     | (%)   |         |         |
|     | (%)   |         |         |
|     | ( / ) |         |         |
|     |       |         | (%)     |
| (   | ( / ) |         | (%)     |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



-

:

.FAOSTAT

Implications of Groundwater Rehabilitation on Water Resources Protection and Conservation: Artificial Recharge and Water Quality Improvement in the ESCWA Region. ESCWA. United Nations. 2001. (E/ESCWA/ENR/2001/12)

Sectoral Water Allocation Policies in Selected ESCWA Member Countries. An Evaluation of the Economic, Social and Drought-Related Impact. ESCWA. United Nations. 2003 (E/ESCWA/SDPD/2003/13)

World Population Prospects: the 2004 Revision Population Database  
<http://esa.un.org/unpp/>

Renewable water resources data: FAO/AQUASTAT, 1997  
[http://www.fao.org/ag/agl/aglw/aquastat/water\\_res/index.stm](http://www.fao.org/ag/agl/aglw/aquastat/water_res/index.stm)

.E/ESCWA/SCU/2004/5

.E/ESCWA/SCU/2004/1

WHO/UNICEF Joint Monitoring Programme for Water Supply and Sanitation. Coverage estimates 1980–2000. September, 2001  
[http://www.wssinfo.org/en/wat\\_dev\\_en.html](http://www.wssinfo.org/en/wat_dev_en.html)

.E/ESCWA/SDPD/2005/10

Global Water Intelligence. Water Market Middle East. January 2005.



—

:

.FAOSTAT

World Population Prospects: the 2004 Revision Population Database .  
<http://esa.un.org/unpp/>

.E/ESCWA/SCU/2004/5

.E/ESCWA/SCU/2004/1


Updating the Assessment of Water Resources in ESCWA Member Countries. ESCWA. United Nations. 2003 (E/ESCWA/ENR/1999/13)

.E/ESCWA/SDPD/2005/10


-

|  |       |  |
|--|-------|--|
|  | ( / ) |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | (%)   |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | (%)   |  |
|  | ( / ) |  |
|  | (%)   |  |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



—

:

.FAOSTAT

World Population Prospects: the 2004 Revision Population Database  
<http://esa.un.org/unpp/>

.E/ESCWA/SCU/2004/5


.E/ESCWA/SCU/2004/1

.E/ESCWA/SDPD/2005/10


-

|       |       |         |
|-------|-------|---------|
|       | ( / ) |         |
| ( / ) | ( / ) |         |
| ( / ) | ( / ) |         |
| (%)   | (%)   |         |
| (%)   | (%)   |         |
|       |       | (%)     |
|       |       | (%)     |
|       |       | ( / )   |
|       |       | ( / )   |
|       | ( / ) |         |
|       |       | ( / )   |
|       | (%)   |         |
|       | (%)   |         |
|       | (%)   |         |
|       | ( / ) |         |
|       | ( )   |         |
|       | ( / ) |         |
|       |       | (%) ( ) |
|       |       | )(%)    |
|       |       | )/(     |
|       |       | *(      |

مؤشرات استهلاك المياه العذبة



مؤشرات توفر موارد المياه العذبة



—

:

.FAOSTAT

World Population Prospects: the 2004 Revision Population Database .  
<http://esa.un.org/unpp/>

.E/ESCWA/SCU/2004/5

.E/ESCWA/SCU/2004/1

.E/ESCWA/SDPD/2005/10